International Journal of Rehabilitation Research **29**, i–iii (2006)

Author Index to Volume 29 (2006)

Aaltonen, T. *See* Hinkka, K., 97
Abrahamson, S.J and Khan, F. Brief osteoporosis education in an inpatient rehabilitation setting improves knowledge of osteoporosis in elderly patients with low-trauma fractures, 61
Ademokoya, J.A. *See* Olujide, M.G., 209
Alghazo, E.M. *See* Sartawi, A., 161
Altenhöner, T. *See* Samkange-Zeeb, F., 43
Amsters, D and Nitz, J. The consequences of increasing age and duration of injury upon the wheelchair posture of men with tetraplegia, 347
Ang, J.H.Y. and Man, D.W.K. The discriminative power of the Wolf motor function test in assessing upper extremity functions in persons with stroke, 357
Appelros, P. Prevalence and predictors of pain and fatigue after stroke: a population-based study, 329
Aras, M. *See* Gökkaya, N., 105
Aras, M. *See* Gokkaya., N.K.O.., 275
Araten-Bergman, T. *See* Azaiza, F., 113
Ariav, C. *See* Dunsky., A., 351
Atabek, H.K. *See* Turhan., N., 335
Atalay, A. *See* Turhan., N., 335
Au, K.W and Man, D.W.K. Attitudes toward people with disabilities: a comparison between health care professionals and students, 155
Azaiza, F. *et al.* Consideration of out-of-home placement among Israeli Jewish and Arab parents of children with disabilities, 113

Bacik, B. *et al.* Ground-foot reaction forces in hemiplegic gait patterns with and without orthopaedic aids, 255
Balandin, S. *et al.* 'We couldn't function without volunteers': volunteering with a disability, the perspective of not-for-profit agencies, 131
Ballin, L. *See* Balandin, S., 131
Bardak, A.N. *See* Paker, N., 71
Batt-Rawden, A.B. Music: a strategy to promote health in rehabilitation? An evaluation of participation in a 'music and health promotion project', 171
Bayouk, J.-F. *et al.* Balance training following stroke: effects of task-oriented exercises with and without altered sensory input, 51
Bayramoğlu, M. *See* Turhan, N., 81
Belciug, M.P. Concerns and anticipated challenges of family caregivers following participation in the neuropsychological feedback of stroke patients, 77
Berg, G. *See* Samkange-Zeeb, F., 43
Bo Ebskov, L. Dysvascular amputations and long-term survival in a 20-year follow-up study, 325
Boucher, J.P. *See* Bayouk, J.-F., 51
Bourget, A. *See* Rochette, A., 247
Brand, C. *See* Khan, F., 87
Brattberg, G. Internet-based rehabilitation for individuals with chronic pain and burnout: a randomized trial, 221
Bravo, G. *See* Rochette, A., 247
Bruce, S.M. *See* Narayan, J., 9
Bültmann, U. *See* Lund, T., 229

Campbell, K.A. *See* Ryan, S., 195
Cardenas, D. *See* Gökkaya., N., 105
Chan, B. *See* Ryan, S., 195
Chatterjee, A.K. *See* Palit., A.., 281
Chen, T.-J. *See* Chung, L., 137
China, C. *See* Mittag., O., 295
Chiu, T.T.W. *See* Lee, K.-C., 217
Christensen, K.B. *See* Lund, T., 229
Chung, L. *et al.* The predictive factors for length of stay for stroke patients in Taiwan using the path model, 137
Cott, C. *See* Landry., M.D., 303

de Andrade Matas, S.L. *See* Segura, A.P.C., 243
de Azeredo, Z. *See* Jullamate., P., 309
de Haan, R. *See* Meijer, R., 1
de Moor, J. *See* Segers., E., 343
Deber, R.B. *See* Landry., M.D., 303
Desrosiers, J. *See* Rochette, A., 247
Deutsch, J. *See* Dunsky., A., 351
Devitt, R. *See* Landry., M.D., 303
Dew, A. *See* Balandin, S., 131
Dhaliwal, S.S. *See* Khemthong., S., 315
Dickstein, R. *See* Dunsky., A., 351
Dlamini, P. *See* Groce., N., 319
Dogra, R. *See* Sharma, S.C., 17
Dunsford, A. *See* Hillier, S., 237
Dunsky, A. *et al.* Motor imagery practice in gait rehabilitation of chronic post-stroke hemiparesis: four case studies, 351

Ekholm, J. *See* Schult, M.-L., 183
Erbil, M. *See* Paker, N., 71
Ersoy, S. *See* Paker, N., 71

Fazekas, G. *et al.* A novel robot training system designed to supplement upper limb physiotherapy of patients with spastic hemiparesis, 251
Fillary, R and Pernice, R. Social inclusion in workplaces where people with intellectual disabilities are employed: implications for supported employment professionals, 31
Fontes, S.V. *See* Segura, A.P.C., 243
Frank, S. *See* Meng, K., 65
Fukujima, M.M. *See* Segura, A.P.C., 243

Gerling, J. *See* Haase., I., 289
Germon, B. *See* Ryan, S., 195
Ghezzi, P. *See* Pattee, C., 151
Glenn, M. *et al.* Validity and reliability of the Community Integration Program Questionnaire, 117
Gnat, R. *See* Bacik, B., 255
Gökkaya, N. *et al.* Stroke rehabilitation outcome: the Turkish experience, 105
Gokkaya, N.K.O. *et al.* Reflex sympathetic dystrophy in hemiplegia, 275
Goldstein, R. *See* Glenn, M., 117
Groce, N. *et al.* HIV/AIDS and disability: a pilot survey of HIV/AIDS knowledge among a deaf population in Swaziland., 319
Grönlund, R. *See* Hinkka, K., 97
Gupta, S.S. *See* Sharma, S.C., 17

Haase, I. *et al.* Factors contributing to patient satisfaction with

0342-5282 © 2006 Lippincott Williams & Wilkins

QJ;medical rehabilitation in German hospitals, 289
Hartley, S. *See* Kuipers, P., 27
Hillier, S and Dunsford, A. A pilot study of sensory retraining for the hemiparetic foot post-stroke, 237
Hinkka, K. *et al.* A network-based geriatric rehabilitation programme: study design and baseline characteristics of the patients, 97
Hoberg, E. *See* Mittag., O., 295
Holderied, A. *See* Meng, K., 65
Holyoke, P. *See* Landry., M.D., 303
Horvath, M. *See* Fazekas, G., 251
Hubley, D. *See* Ryan, S., 195

Jacob, L. *See* Glenn, M., 117
Jaglal, S. *See* Landry., M.D., 303
Jongerius, P. *See* van der Burg, J., 179
Juers, E. *See* Mittag., O., 295
Jullamate, P. *et al.* Informal stroke rehabilitation: what do Thai caregivers perform?, 309

Karppi, S.-L. *See* Hinkka, K., 97
Kaya, A. *See* Gökkaya., N., 105
Keren, O. *See* Treger., I., 339
Kesikta, N. *See* Paker, N., 71
Khan, F. *et al.* Multiple sclerosis: disability profile and quality of life in an Australian community cohort, 87
Khan, F. *See* Abrahamson, S.J., 61
Khemthong, S. *et al.* Using the Actigraph to measure physical activity of people with disabilities: an investigation into measurement issues, 315
Kilpatrick, T. *See* Khan, F., 87
Kladny, B. *See* Haase., I., 289
Kolenda, K.-D. *See* Mittag., O., 295
Koseoglu, F. *See* Gokkaya., N.K.O.., 275
Kuipers, P and Hartley, S. A process for the systematic review of community-based rehabilitation evaluation reports: formulating evidence for policy and practice, 27
Labriola, M. *See* Lund, T., 229
Lam, T.-H. *See* Lee, K.-C., 217
Landry, M.D. *et al.* Assessing the consequences of delisting publicly funded community-based physical therapy on self-reported health in Ontario, Canada: a prospective cohort study, 303
Laporte, A. *See* Landry., M.D., 303
Lee, K.-C. *et al.* Correlation between generic health status and region-specific functional measures on patients with neck pain, 217
Lehnert-Batar, A. *See* Haase., I., 289
Leroux, A. *See* Bayouk, J.-F., 51
Light, G and Tse, S. How is the collaborative-practice competency operationalized by mental health workers?, 271
Liu, P.K.K. *See* Louie, S.W.S., 123
Llewellyn, G. *See* Balandin, S., 131
Louie, S.W.S. *et al.* The effectiveness of a stroke education group on persons with stroke and their caregivers, 123
Lund, T. *et al.* Return to work among sickness-absent Danish employees: prospective results from the Danish Work Environment Cohort Study/National Register on Social Transfer Payments, 229

Madani, P. *See* Raissi, G.R., 167
Man, D.W.K. Cognitive functions among Hong Kong Chinese people with schizophrenia, 261
Man, D.W.K. *See* Ang, J.H.Y., 357
Man, D.W.K. *See* Au, K.W., 155
Man, D.W.K. *See* Louie, S.W.S., 123
Man, D.W.K. *See* Siu, E., 267
Mansoori, K. *See* Raissi, G.R., 167
Marcovitz, E. *See* Dunsky., A., 351
Maurischat, C. *See* Mittag., O., 295
McPhail, T. *See* Khan, F., 87
Meijer, R. *et al.* Development of the Stroke-unit Discharge Guideline: choice of assessment instruments for prediction in the subacute phase post-stroke, 1
Meng, K. *et al.* Patients' expectations, motivation and multi-dimensional subjective and objective socio-medical success in medical rehabilitation measures, 65
Mittag, O. *et al.* Outcomes of cardiac rehabilitation with versus without a follow-up intervention rendered by telephone (Luebeck follow-up trial): overall and gender-specific effects, 295

Naon, D. *See* Azaiza, F., 113
Narayan, J and Bruce, S.M. Perceptions of teachers and parents on the cognitive functioning of children with severe mental disability and children with congenital deaf-blindness, 9
Nitz, J. *See* Amsters., D., 347
Nooijen, M. *See* Segers., E., 343

Ollonqvist, K. *See* Hinkka, K., 97
Olujide, M.G and Ademokoya, J.A. Coping mechanisms of some blind trainees engaging in agricultural rehabilitation in a Nigerian training centre for the blind, 209
Öztop, P. *See* Turhan, N., 81

Packer, T.L. *See* Khemthong., S., 315
Paker, N. *et al.* Reasons for rehospitalization in patients with spinal cord injury: 5 years' experience, 71
Palit, A and Chatterjee, A.K. Parent-to-parent counseling – a gateway for developing positive mental health for the parents of children that have cerebral palsy with multiple disabilities, 281
Pan, A.-W. *See* Chung, L., 137
Pattee, C. *et al.* Effects of alternative communication on the communicative effectiveness of an individual with a progressive language disorder, 151
Paúl, C.A. *See* Jullamate., P., 309
Pernice, R. *See* Fillary, R., 31
Puukka, P. *See* Hinkka, K., 97

Raissi, G.R. *et al.* Survey of general practitioners' attitudes toward physical medicine and rehabilitation, 167
Raspe, H. *See* Mittag., O., 295
Rayegani, S.M. *See* Raissi, G.R., 167
Richardt, G. *See* Mittag., O., 295
Rigby, P. *See* Ryan, S., 195
Rimmerman, A. *See* Azaiza, F., 113
Rimmerman, A. *See* Schreuer, N., 201
Ring, H. *See* Treger., I., 339
Rochette, A. *et al.* Adaptation and coping following a first stroke: a qualitative analysis of a phenomenological orientation, 247
Rotman, M. *See* Glenn, M., 117
Rotteveel, J. *See* van der Burg, J., 179
Ryan, S. *et al.* Development of the new Family Impact of Assistive Technology Scale, 195

Sachs, D. *See* Schreuer, N., 201
Salmelainen, U. *See* Hinkka, K., 97

Samkange-Zeeb, F. *et al.* Predicting non-return to work in patients attending cardiac rehabilitation, 43
Saraçgil, N. *See* Turhan, N., 81
Sartawi, A and Alghazo, E.M. Special education teachers' perceptions of factors influencing their instructional practices, 161
Saulicz, E. *See* Bacik, B., 255
Schott, T. *See* Samkange-Zeeb, F., 43
Schreuer, N. *et al.* Adjustment to severe disability: constructing and examining a cognitive and occupational performance model, 201
Schult, M.-L and Ekholm, J. Agreement of a work-capacity assessment with the World Health Organisation International Classification of Functioning, Disability and Health pain sets and back-to-work predictors, 183
Schupp, W. *See* Haase., I., 289
Segers, E. *et al.* Computer vocabulary training in kindergarten children with special needs, 343
Segura, A.P.C. *et al.* The impact evaluation of physical therapy on the quality of life of cerebrovascular stroke patients, 243
Selleck, E. *See* Glenn, M., 117
Shafir, O. *See* Treger., I., 339
Sharma, S.C. *et al.* Assessment of sexual functions after spinal cord injury in Indian patients, 17
Singh, R. *See* Sharma, S.C., 17
Siu, E and Man, D.W.K. Working memory and sentence comprehension of Hong Kong Chinese children with specific language impairment, 267
Soy, D. *See* Paker, N., 71
St-Cyr Tribble, D. *See* Rochette, A., 247
Subgranon, R. *See* Jullamate., P., 309

Tilvis, R. *See* Hinkka, K., 97
Toth, A. *See* Fazekas, G., 251
Treger, I. *et al.* Orthostatic hypotension and cerebral blood flow velocity in the rehabilitation of stroke patients, 339
Tsang, J.S.C and Wai-kwong Man D. Reliability and validity study of Silver's test for Hong Kong–Chinese with dementia, 37
Tse, S. *See* Light, G., 271
Turhan, N. *et al.* Impact of stroke etiology, lesion location and aging on post-stroke urinary incontinence as a predictor of functional recovery, 335
Turhan, N. *et al.* Serum albumin and comorbidity relative to rehabilitation outcome in geriatric stroke, and possible links with stroke etiology, 81
Turner-Stokes, L. *See* Khan., F, 87

van der Burg, J. *et al.* Drooling in children with cerebral palsy: a qualitative method to evaluate parental perceptions of its impact on daily life, social interaction, and self-esteem, 179
van Hulst, K. *See* van der Burg, J., 179
van Limbeek, J. *See* Meijer, R., 1
van Limbeek, J. *See* van der Burg, J., 179
Villadsen, E. *See* Lund, T., 229
Vogel, H. *See* Meng, K., 65
Von Berg, S. *See* Pattee, C., 151

Wai-kwong Man D. *See* Tsang, J.S.C., 37
Wang, Y.-H. *See* Chung, L., 137
Wirz, S. *See* Groce., N., 319
Wu, H.-C. The effect of work on people with severe mental illness in Taiwan using a stress-social support model: an exploratory study, 145

Yesiltepe, E. *See* Gokkaya., N.K.O., 275
Ylmaz, H. *See* Paker., N, 71
Ying Li, A.P. *See.* Sibling advocates of people with intellectual disabilities, 175
Yousafzai, A. *See* Groce., N., 319

Zalud, S. *See* Groce., N., 319
Zdrahal-Urbanek, J. *See* Meng, K., 65

International Journal of Rehabilitation Research **29**, v–vi (2006)

Keyword index to Volume 29 (2006)

Actigraph, 315
Activities, 183
Adaptation, 247
Adjustment, 201
Aged, 61
Ageing, 347
Aging, 335
Agricultural activities, 209
Albumin, 81
American sign language, 151
Amputation, 325
Apraxia of speech, 151
Assessment instruments, 1
Assessment, 37, 183, 261, 357
Assistive devices, 195
Attitude, 155
Augmentative communication, 151

Balance, 51
Blind trainees, 209
Body functions, 183
Brain injury, 117
Burnout, 221

Cardiac rehabilitation, 43, 295
Caregiver burden, 195
Caregivers, 123, 309
Caregivers' concerns, 77
Carer burden, 87
Cerebral palsy, 179, 195, 281
Cervical disability, 217
Children with disabilities, 113
Children with physical disabilities, 195
Chronic pain, 183
Co-constructing, 271
Cognitive, 201, 261
Cognitive functioning, 9
Collaborative-practice competency, 271
Communication impairment, 131
Community based rehabilitation, 27, 351
Community integration, 117
Community living, 261
Comorbidity, 81
Comparison, 155
Complications, 71, 105
Computer training, 343
Congenital deafblindness, 9
Coping, 247
Coping mechanisms, 209

Deaf, 319
Delisting, 303
Dementia, 37, 261
Denmark, 229
Disability, 87, 155, 319
Drooling, 179

Education, 61, 123, 167
Effective teaching, 161
Effectiveness, 123
Empowerment, 175
Etiology, 335
Evaluation reports, 27
Evidence, 27
Exercise, 51
Expanded Disability Status Scale, 87

Fatigue, 329
Focus groups, 131
Fractures, 61
Frail elderly, 97
Functional outcome, 81
Functions, 261, 357

Gait, 255, 351
Gender effects, 295
Geriatric rehabilitation, 97
Germany, 65
Ground-foot reaction forces, 255

Health education, 319
Health measure, 217
Health policy, 303
Health service utilization, 87
Hemiparesis, 51, 237, 251, 351
Hemiplegia, 51, 255, 275
HIV/AIDS, 319

ICF, 183
Impact on daily life, 179
Informal rehabilitation, 309
Instructional strategies, 161
Integrated index of sexual function, 17
Intellectual disabilities, 175
Intensity, 315
Internet, 221
Ischemic stroke, 243, 339

Kindergarten, 343
Kinesiotherapy, 243
Knowledge, 123

Learning disabilities, 161
Length of stay, 81, 137
Level of amputation, 325
Long term survival, 325
Long-standing disability, 131
Long-term illness, 171
Long-term sick leave, 221
Longitudinal, 229

Mainstreaming, 281
Medical rehabilitation, 65
Mental health workers, 271
Mental practice, 351
Mentoring, 131
Motor imagery, 351
Motor, 357
Multiple sclerosis, 87
Multisensory training, 51
Music, 171

Neck pain, 217
Neurological, 261
Neuropsychological feedback, 77

Occupational performance model, 201
Older adults, 37
Orthostatic hypotension, 339
Osteoporosis, 61
Out-of-placement, 113
Outcome measure, 195
Outcome, 105, 335

Pain, 221, 275, 329
Parent perceptions, 9
Parent stress, 195
Parent-to-parent counseling, 281
Participation, 171, 183
Patient expectation, 65
Patient motivation, 65
Patient satisfaction, 289
Patient survey, 289
People with intellectual disabilities, 31
Physical activity, 315
Physical medicine, 167
Physical therapy, 303
Physiotherapy, 243
Policy implications, 113
Postural stability, 51
Posture measurement, 347
Predictive factors, 43, 137

0342-5282 © 2006 Lippincott Williams & Wilkins

Primary progressive aphasia, 151
Professional, 155
Prognosis, 1, 329
Prognostic factors, 289
Program, 123
Psychiatric rehabilitation, 271
Psychosocial rehabilitation, 137

Qualitative, 27
Quality management, 289
Quality of life, 87, 145, 243, 247
Questionnaires, 43, 179

Randomized controlled trial, 97
Recovery, 171
Reflex sympathetic dystrophy syndrome (RSD), 275
Rehabilitation, 61, 77, 87, 105, 167, 171, 221, 237, 247, 281, 339, 351, 357
Rehabilitation success, 65
Rehospitalization, 71
Reliability, 117
Return to work, 43, 229
Robotics, 251

Scale, 37
Schizophrenia, 261
Secondary conditions, 71
Secondary prevention, 295
Self-help group, 175
Self-reported health, 303
Sense-making, 271
Sensitivity, 43
Sensory training, 237
Sentence comprehension, 267
Severe disability, 201
Severe mental disability, 9
Severe mental illness, 145
Sexual functions, 17
Sibling advocacy, 175
Sickness absence, 229
Social inclusion, 31
Spasticity, 251
Special needs, 343
Specific language impairment, 267
Spinal cord injuries, 17, 71, 347
Stress, 123
Stroke, 1, 51, 77, 81, 105, 123, 237, 247, 251, 309, 329, 335, 351, 357
Stroke patients, 137
Students, 155
Supported employment, 31
SWAZILAND, 319
Systematic review, 27

Task awareness, 343
Teacher perceptions, 9
Teaching methods, 161
Technology, 201
Telephone counselling, 295
Tilt table, 339
Training centre, 209
Training, 131
Transcranial Doppler ultrasonography, 339

Urinary incontinence, 335

Validation, 37
Validity, 117
Variability, 315
Vocabulary, 343

Wheelchairs, 347
Work, 145
Work capacity, 183
Work environment, 229
Work resumption, 183
Working memory, 267